

| L Number | Hits | Search Text   | DB  | Time stamp       |
|----------|------|---|---|------------------|
| -        | 313  | 710/4   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/06/25 13:48 |
| -        | 1152 | 710/5   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/06/24 16:15 |
| -        | 1402 | 710/8   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/06/24 16:15 |
| -        | 142  | 710/12  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/06/24 16:15 |
| -        | 663  | 710/15  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/06/24 16:15 |
| -        | 252  | 710/17  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/06/24 16:15 |
| -        | 513  | 710/20  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/06/24 16:15 |
| -        | 334  | 710/21  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/06/24 16:16 |
| -        | 600  | 710/33  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/06/24 16:16 |
| -        | 814  | 710/36  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/06/24 16:16 |
| -        | 1364 | 710/107   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/06/24 16:16 |
| -        | 1032 | 710/305   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/06/24 16:16 |
| -        | 6459 | 710/4 or 710/5 or 710/8 or 710/12 or<br>710/15 or 710/17 or 710/20 or 710/21 or<br>710/33 or 710/36 or 710/107 or 710/305   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/06/24 16:17 |
| -        | 17   | (710/4 or 710/5 or 710/8 or 710/12 or<br>710/15 or 710/17 or 710/20 or 710/21 or<br>710/33 or 710/36 or 710/107 or 710/305)<br>and ((transfer\$5 or mov\$5 or communicat\$5)<br>near5 command\$2 with scanner\$2) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/06/24 16:24 |

|   |     |   |   |                  |
|---|-----|---|---|------------------|
| - | 18  | (scanner\$2 with transfer\$5 with keyboard\$2).ti,clm,ab.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/06/24 16:25 |
| - | 18  | ((scanner\$2 with transfer\$5 with keyboard\$2).ti,clm,ab.) not ((710/4 or 710/5 or 710/8 or 710/12 or 710/15 or 710/17 or 710/20 or 710/21 or 710/33 or 710/36 or 710/107 or 710/305) and ((transfer\$5 or mov\$5 or communicat\$5) near5 command\$2 with scanner\$2)) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/08 16:31 |
| - | 136 | scanner\$2 with transfer\$5 with keyboard\$2  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/06/24 16:48 |
| - | 441 | scanner\$2 with port\$2 with control  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/06/24 16:49 |
| - | 10  | scanner\$2 with port\$2 with (control or management) near3 logic  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/06/24 16:52 |
| - | 157 | scanner\$2 with ports with control  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/06/24 16:53 |
| - | 6   | scanner\$2 with ports with control near3 logic  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/06/24 16:58 |
| - | 2   | (scanner\$2 near3 ports) with (control near3 logic)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/06/24 17:00 |
| - | 165 | scanner\$2 near3 ports  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/06/24 17:01 |
| - | 20  | (scanner\$2 near3 ports) with bus   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/06/24 17:12 |
| - | 16  | scanner\$2 with bus with control near3 logic  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/06/24 17:13 |
| - | 2   | ((control or management) near3 logic with communication near3 bus) same scanner   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/06/25 13:50 |
| - | 151 | (control or management) near3 logic with communication near3 bus  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/06/25 13:52 |

|   |       |   |   |                  |
|---|-------|---|---|------------------|
| - | 63    | ((control or management) near3 logic with communication near3 bus).ab,ti,clm. | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM TDB | 2003/06/25 14:08 |
| - | 3715  | bus near3 control near3 logic   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM TDB | 2003/06/25 14:09 |
| - | 12    | (bus near3 control near3 logic) same scanner                                  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM TDB | 2003/06/25 14:18 |
| - | 1     | multiport near3 scanner   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM TDB | 2003/06/25 14:19 |
| - | 7     | (multi or many or different) near3 port near5 scanner                         | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM TDB | 2003/06/25 14:21 |
| - | 25472 | scanner with (input or keyboard)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM TDB | 2003/12/08 16:31 |
| - | 985   | scanner with (attached or connected or coupled) with keyboard                 | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM TDB | 2003/12/08 16:32 |
| - | 78    | (scanner near5 (attached or connected or coupled) near5 keyboard).ti,clm,ab.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM TDB | 2003/12/08 16:33 |